

TECHNICAL SPECIFICATIONS

1500X

CRT +15°C to +25°C

X-tra Performance

Protecting temperature-sensitive pharma products at +15°C to +25°C, the 1500X-CRT redefines reliability with an unrivalled 270-hour independent runtime at +20°C.

Key Features

- Door-to-door security for an unbroken supply chain
- Protection under extreme temperatures across the entire globe



- Versatile handling
 Fast to load, easy to ship
- Optimal placement of four containers on one PMC-pallet



 Self-recharging ability in temperature controlled warehouses and trucks

SKY COELL

1500 X

SKY CELL

CRT 58

1500 X

• Full payload preservation

Absorbing shock and vibration



4 containers fit on one PMC, 18 into a Truck

Temperature

| Operating range (External conditions) | -40°C to +70°C | -40°F to +158°F |
|---------------------------------------|----------------|-----------------|
| Internal temperature range | +15°C to +25°C | +59°F to +77°F |

Performance

| Independent runtime | 270 hours at +20°C | 270 hours at +68°F |
|---------------------|--------------------|--------------------|
|---------------------|--------------------|--------------------|

Dimensions

| External cube (volume) | 2.7 m³ | 95.35 ft³ |
|---------------------------------|-----------------------|-----------------------|
| External dimensions (L x W x H) | 1456 x 1170 x 1600 mm | 57.3 x 46.1 x 63.0 in |
| Internal cube | 1.66 m³ | 58.6 ft ³ |
| Internal dimensions (L x W x H) | 1235 x 1035 x 1300 mm | 48.5 x 40.7 x 51.1 in |

Weight

| Tare weight ±5% | 379 kg | 835 lbs |
|--------------------|---------|----------|
| Max payload weight | 1000 kg | 2204 lbs |

Data Logging Inside & Outside

Temperature -40°C to +70°C at 0.1°C resolution and ±0.5°C accuracy



Safe

Audited performance of < 0.1% temperature deviations.



Secure

Track and trace: Visibility of your shipments in SkyMind platform.



Sustainable

Reduce CO_2 emissions by up to 50% compared to other solutions.





TECHNICAL SPECIFICATIONS

1500X

CRT +15°C to +25°C



Designed for zero loss: 270 hours independent runtime to protect medicine from door-to-door for an unbroken cold chain.




Monitor shipment conditions in real time on SkyMind to anticipate and identify lane risks.



Less weight, less volume, lower costs—more payload space. The 1500X's making it SkyCell's most sustainable container.



400% stronger frame using aerospace diecast technology.



Shock and vibration absorption.



High energy density and improved energy distribution system.

SkyCell Solutions. Designed for Zero Product Loss



1500DF

1500DF hybrid containers for transporting highly temperature-sensitive pharmaceuticals.

Internal Temperature Ranges -90°C to -20°C -90°C to -60°C



SkyMind Pharma

Integrated with Microsoft Teams and Copilot, SkyMind Pharma identifies high-risk lanes, optimizes routes, reduces product loss, and enables precise carbon reporting.



Loggers

SkyCell IoT loggers ensure continuous, seamless monitoring with real-time tracking, trajectory visualization, and instant alerts.

